

Message

---

**From:** Turner, Nardina [Turner.Nardina@epa.gov]  
**Sent:** 8/11/2020 2:12:09 PM  
**To:** Seabolt, Nancy [Seabolt.Nancy@epa.gov]  
**CC:** Cole, Robert [colerb@dhec.sc.gov]; Famble, Alayna [famble.alayna@epa.gov]  
**Subject:** Lake Conestee - sample with high moisture content  
**Attachments:** 49040-TR COC.pdf

**Importance:** High

Nancy: In considering the SOW options, since we have three analyses coming from the container, increasing all to 50 g would leave little backup. Option 2 seems best with only the solid portion being analyzed (there would not be sufficient liquid for meaningful analysis of the liquid). Option 3 to discard the sample would be a last resort. Copying site team in case other thoughts. - Nardina

*10.1.1.5 For samples scheduled for semivolatile, pesticide, or Aroclor analysis, if the sample contains less than 30% solids, the Contractor shall notify the Sample Management Office (SMO) immediately of the samples impacted. SMO will contact the EPA Region for instructions. This requirement does not apply to 7-day turnaround or Preliminary Results samples. The EPA Region may require the Contractor to do any of the following:*

- *Use a higher mass of soil/sediment sample (up to 50 g).*
- *Separate the phases by centrifugation or settling and analyze one or more of the phases separately. SMO will provide EPA Sample Numbers for the additional phases, if required.*
- *Do not analyze the sample.*

---

**From:** Johnson, Matthew <Matthew.Johnson32@gdit.com>  
**Sent:** Tuesday, August 11, 2020 9:49 AM  
**To:** Turner, Nardina <Turner.Nardina@epa.gov>; Seabolt, Nancy <Seabolt.Nancy@epa.gov>  
**Subject:** Region 04 | Case 49040 | Lab CHM | Issue Non-standard matrix

Hi Nardina,

Please advise on the following issue from CHM.

Issue: The Laboratory received soil Sample DBFS1 and determined the percent solids to be 17.5%. Since this is less than 30% solids, the laboratory would like to confirm if they should proceed with analysis of Sample DBFS1.

Thanks,  
Matthew Johnson

Data Analyst Associate  
CLP SMO Coordinator – EPA Regions 2 and 4  
Federal Civilian Division

T 703.254.0079  
[Matthew.johnson32@gdit.com](mailto:Matthew.johnson32@gdit.com)  
6361 Walker Lane, Ste 300  
Alexandria, VA 22310  
[www.gdit.com](http://www.gdit.com)

GENERAL DYNAMICS  
Information Technology

---

**From:** Sohil Jodhani <[Sohil@chemtech.net](mailto:Sohil@chemtech.net)>  
**Sent:** Tuesday, August 11, 2020 9:17 AM  
**To:** Johnson, Matthew <[Matthew.Johnson32@gdit.com](mailto:Matthew.Johnson32@gdit.com)>  
**Cc:** 'Mohammad Ahmed' <[mohammad@chemtech.net](mailto:mohammad@chemtech.net)>; DASSsupport <[DASSsupport@gdit.com](mailto:DASSsupport@gdit.com)>; Brandon-Bazile.Kim@epa.gov; 'Brett Moody' <[Moody.Brett@epa.gov](mailto:Moody.Brett@epa.gov)>; 'Appleby, Charlie' <[Appleby.Charlie@epa.gov](mailto:Appleby.Charlie@epa.gov)>  
**Subject:** Region 04 | Case 49040 | Lab CHM | Issue Discrepancies with tags, jars, and/or COC

■ **[External: Use caution with links & attachments]**


Good morning Matthew,

Lab has received soil samples under this case. Lab has performed the %solids determination for the sample DBFS1 and found that sample has 17.5 % solids which is less than 30% therefore we would like to confirm that how can lab proceed with the analysis of the sample?

Please see attachment for your reference.

Thanks & Regards,

**Sohil Jodhani**  
QA/QC Director  
**Direct Line: (908)728-3152**  
**General Number: (908)789-8900**  
**Fax: (908)789-8922**



Chemtech is an equal opportunity employer

Notice: The information transmitted in this e-mail message and in any attachments is intended solely for the attention and use of the named addressee(s) and may contain confidential and/or privileged material. Any review, retransmission, dissemination or other use of, or taking of any action in reliance upon, this information by persons or entities other than the intended recipient is strictly prohibited and may be unlawful. If you have received this transmission in error, please notify us immediately by return e-mail, and permanently delete this transmission, including attachments if any, from any computer.